

Digital bilaga: **Referenser i den ursprungliga versionen av riktlinjerna (2015)**

*Referenserna i denna lista ligger till grund för den ursprungliga versionen av riktlinjerna "Riktlinjer vid psykisk ohälsa på arbetsplatsen" som publicerades första gången 2015. Den andra utgåvan av riktlinjerna med titeln "Riktlinjer för psykisk hälsa på arbetsplatsen" är en reviderad version med den ursprungliga versionen som grund varför de allra flesta av dessa referenser också är aktuella i den nya versionen. Referenserna återges i det referenssystem som användes för den ursprungliga versionen och är på samma sätt som då indelade i avsnitten **kunskapssammanställningar**, **riktlinjer**, **diagnostiska instrument och frågeformulär** samt **originalartiklar**.*

Kunskapssammanställningar

Archer, J., Bower, P., Gilbody, S., Lovell, K., Richards, D., Gask, L., Coventry, P. (2012). Collaborative care for depression and anxiety problems. Cochrane Database Syst Rev, 10.

Arends, I., Bruinvels, D. J., Rebergen, D. S., Nieuwenhuijsen, K., Madan, I., Neumeyer-Gromen, A., Verbeek, J. H. (2012). Interventions to facilitate return to work in adults with adjustment disorders Cochrane Database Syst Rev (Vol. 12).

Aronsson, G., & Lundberg, U. (2015). Interventioner för återgång i arbete vid sjukskrivning. En systematisk kunskapsöversikt av metaanalyser med inriktning på muskuloskeletal och psykiska besvär. Arbete och Hälsa, 2(49), 57.

Bambra, C., Gibson, M., Sowden, A. J., Wright, K., Whitehead, M., Petticrew, M. (2009). Working for health? Evidence from systematic reviews on the effects on health and health inequalities of organisational changes to the psychosocial work environment. Prev Med, 48(5), 454–461.

Bannai, A., Tamakoshi, A. (2014). The association between long working hours and health: a systematic review of epidemiological evidence. Scand J Work Environ Health, 40(1), 5–18.

Bergström, G., Lundin, A., Vaez, M., Cedstrand, M., Hillert, L., Jensen, I. (2015). Insatser via företagshälsovården för att minska eller förebygga psykisk ohälsa. En kartläggning av forskningen. Karolinska Institutet.

Bhui, K. S., Dinos, S., Stansfeld, S. A., White, P. D. (2012). A synthesis of the evidence for managing stress at work: a review of the reviews reporting on anxiety, depression, and absenteeism. J Environ Public Health, 2012, 515874.

Bohrf. (2005). Workplace interventions for people with common mental health problems: Evidence review and recommendations. British Occupational Health Research Foundation.

Bonde, J. P. E. (2008). Psychosocial factors at work and risk of depression: a systematic review of the epidemiological evidence. Occupational and Environmental Medicine, 65(7), 438–445.

Bongers, P. M., Kremer, A. M., ter Laak, J. (2002). Are psychosocial factors, risk factors for symptoms and signs of the shoulder, elbow, or hand/wrist? A review of the epidemiological literature. American Journal of Industrial Medicine, 41(5), 315–342.

- Chu, A. H. Y., Koh, D., Moy, F. M., Müller-Riemenschneider, F. (2014). Do workplace physical activity interventions improve mental health outcomes? *Occupational Medicine*, 64(4), p 235–245.
- Cooney, G. M., Dwan, K., Greig, C. A., Lawlor, D. A., Rimer, J., Waugh, F. R., Mead, G. E. (2013). Exercise for depression. *Cochrane Database Syst Rev*, 9, CD004366.
- Cornelius, L. R., van der Klink, J. J., Groothoff, J. W., Brouwer, S. (2011). Prognostic factors of longterm disability due to mental disorders: a systematic review. *J Occup Rehabil*, 21(2), 259–274.
- Dekkers-Sanchez, P. M., Hoving, J. L., Sluiter, J. K., Frings- Dresen, M. H. W. (2008). Factors associated with long-term sick leave in sick-listed employees: a systematic review. *Occupational and Environmental Medicine*, 65(3), 153–157.
- Gjerde, M. (2014). Arbetsmiljöinterventioner med fokus på organisationen och rotorsaker till stress och ohälsa – en kunskapsöversikt. Kungliga tekniska Högskolan, (KTH).
- Guyatt, G. H., Oxman, A. D., Vist, G. E., Kunz, R., Falck-Ytter, Y., Alonso-Coello, P., Schunemann, H. J. GRADE Working Grp (2008). GRADE: an emerging consensus on rating quality of evidence and strength of recommendations. *British Medical Journal*, 336(7650), 924–926.
- Hulshof, C. T. J. (2015). Occupational health guidelines for mental disorders and stress-related complaints, a challenge for occupational health. *Occupational and Environmental Medicine*, 72(5), 311–312.
- Ipser, J. C., Wilson, D., Akindipe, T. O., Sager, C., & Stein, D. J. (2015). Pharmacotherapy for anxiety and comorbid alcohol use disorders. *Cochrane Database Syst Rev*, 1.
- Irish, L. A., Kline, C. E., Gunn, H. E., Buysse, D. J., Hall, M. H. (2015). The role of sleep hygiene in promoting public health: A review of empirical evidence. *Sleep Med Rev*, 22, 23–36.
- Joosen, M. C., Brouwers, E. P., van Beurden, K. M., Terluin, B., Ruotsalainen, J. H., Woo, J. M., van Weeghel, J. (2015). An international comparison of occupational health guidelines for the management of mental disorders and stress-related psychological symptoms. *Occup Environ Med*, 72(5), 313–322.
- Joyce, K., Pabayo, R., Critchley, J. A., Bambra, C. (2010). Flexible working conditions and their effects on employee health and wellbeing. *Cochrane Database of Systematic Reviews* (2).
- Kaluza, S., Hauke, H., A, S., Drupsteen, L., Bell, N. (2012). Leadership and occupational safety and health (ohs): An expert analysis European Agency for Safety and health at Work, Luxembourg.
- Kivimaki, M. et al (2012). Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. *Lancet*, 380(9852), 1491–1497.
- Kohstall, T., Bräunig, D. (2011). The return on prevention: Calculating the costs and benefits of investments in occupational safety and health in companies: Summary of results. ISSA Geneva.
- Kuehnl, A., Rehfuss, E., von Elm, E., Nowak, D., Glaser, J. (2014). Human resource management training of supervisors for improving health and well-being of employees (Protocol). *Cochrane Database of Systematic Reviews*.
- Kwak, L., Hagströmer, M., Jensen, I., Lohela Karlsson, M., Alipour, A., Schäfer Elinder, L. (2012). Metoder för företagshälsovården; Att arbeta med att främja goda matvanor och fysisk aktivitet på arbetsplatser. I Karolinska institutet (red.). Institutet för miljömedicin.
- Leka, S., Jain, A. (2010). Health Impact of Psychosocial Hazards at Work: An Overview. WHO.

- Lin, C. W. C., Haas, M., Maher, C. G., Machado, L. A. C., van Tulder, M. W. (2011). Cost-effectiveness of guideline-endorsed treatments for low back pain: a systematic review. *European Spine Journal*, 20(7), 1024–1038.
- Lindberg, P., Vingård, E. (2006). Den goda arbetsmiljön och dess indikatorer, En Kunskapsöversikt, serie 2012:7, Arbetsmiljöverket.
- Lundberg, I., Allebeck, P., Forsell, Y., Westerholm, P. (2013). Systematiska kunskapsöversikter; 3. Kan arbetsvillkor orsaka depressionstillstånd? En systematisk översikt över longitudinella studier i den vetenskapliga litteraturen 1998–2012. *Arbete och Hälsa*.
- Marine, A., Ruotsalainen, J., Serra, C., Verbeek, J. (2006). Preventing occupational stress in healthcare workers. *Cochrane Database Syst Rev*(4).
- Martin, A., Sanderson, K., Cocker, F. (2009). Meta-analysis of the effects of health promotion intervention in the workplace on depression and anxiety symptoms. *Scand J Work Environ Health*, 35(1), 7–18.
- Merrell, K. W., Gueldner, B. A., Ross, S. W., Isava, D.M. (2008). How effective are school bullying intervention programs? a meta-analysis of intervention research. *School Psychology Quarterly*, 23(23(1)), 26–42.
- Michie, S., Williams, S. (2003). Reducing work related psychological ill health and sickness absence: a systematic literature review. *Occup Environ Med*, 60(1), 3–9.
- Montano, D., Hoven, H., Siegrist, J. (2014a). Effects of organisationallevel interventions at work on employees' health: a systematic review. *BMC Public Health*, 14, 135.
- Montano, D., Hoven, H., Siegrist, J. (2014b). Effects of organisational-level interventions at work on employees' health: a systematic review. *BMC Public Health*, 14.
- Montano, D., Hoven, H., Siegrist, J. (2014c). A meta-analysis of health effects of randomized controlled worksite interventions: Does social stratification matter? *Scandinavian Journal of Work Environment & Health*, 40(3), 230–234.
- Nieuwenhuijsen, K., Bruinvelds, D., Frings-Dresen, M. (2010). Psychosocial work environment and stress-related disorders, a systematic review. *Occup Med (Lond)*, 60(4), 277–286.
- Nieuwenhuijsen, K., Faber, B., Verbeek, J. H., Neumeyer-Gromen, A., Hees, H. L., Verhoeven, A. C., Bultmann, U. (2014). Interventions to improve return to work in depressed people. *Cochrane Database Syst Rev*.
- Pettersson, A., Bengtsson Boström, K., Gustavsson, P., Ekselius, L. (2015). Which instruments to support diagnosis of depression have sufficient accuracy? A systematic review. *Nord J Psychiatry*, 12.
- Pomaki, G., Franche, R. L., Murray, E., Khushrushahi, N., Lampinen, T. M. (2012). Workplace-Based Work Disability Prevention Interventions for Workers with Common Mental Health Conditions: A Review of the Literature. *Journal of Occupational Rehabilitation*, 22(2), 182–195.
- Rehm, J., Baliunas, D., Borges, G. L. G., Graham, K., Irving, H., Kehoe, T., Taylor, B. (2010). The relation between different dimensions of alcohol consumption and burden of disease: an overview. *Addiction*, 105(5), 817–843.
- Richardson, K. M., Rothstein, H. R. (2008). Effects of occupational stress management intervention programs: a meta-analysis. *J Occup Health Psychol*, 13(1), 69–93.

- Robbins, J. M., Ford, M. T., Tetrick, L. E. (2012). Perceived unfairness and employee health: a meta-analytic integration *Journal of Applied Psychology*, 97, 235–272.
- Ruotsalainen, J. H., Verbeek, J. H., Marine, A., Serra, C. (2014). Preventing occupational stress in healthcare workers. *Cochrane Database Syst Rev*, 12.
- Sallinen, M., Kecklund, G. (2010). Shift work, sleep, and sleepiness - differences between shift schedules and systems. *Scandinavian Journal of Work Environment & Health*, 36(2), 121–133.
- Samnani, A. K., Singh, P. (2012). 20 Years of workplace bullying research: A review of the antecedents and consequences of bullying in the workplace. *Aggression and Violent Behavior*, 17(6), 581–589.
- SBU. (2012). Diagnostik och uppföljning av förstämningssyndrom. Statens beredning för medicinsk och social utvärdering (SBU).
- SBU. (2013). Arbetsmiljöns betydelse för sömnstörningar; En systematisk litteraturöversikt. Statens beredning för medicinsk och social utvärdering (SBU).
- SBU. (2014). Arbetsmiljöns betydelse för symptom på depression och utmattningssyndrom. Statens beredning för medicinsk och social utvärdering (SBU).
- Schandelmaier, S., Ebrahim, S., Burkhardt, S. C., de Boer, W. E., Zumbrunn, T., Guyatt, G. H., Kunz, R. (2012). Return to work coordination programmes for work disability: a meta-analysis of randomised controlled trials. *PLoS One*, 7(11).
- Schyns, B., Schilling, J. (2013). How bad are the effects of bad leaders? A meta-analysis of destructive leadership and its outcomes. *Leadership Quarterly*, 24(1), 138–158.
- Seidler, A., Thinschmidt, M., Deckert, S., Then, F., Hegewald, J., Nieuwenhuijsen, K., Riedel-Heller, S. G. (2014). The role of psychosocial working conditions on burnout and its core component emotional exhaustion – a systematic review. *Journal of Occupational Medicine and Toxicology*, 9, 10.
- Semmer, N. K. (2006). Job stress interventions and the organization of work. *Scandinavian Journal of Work, Environment & Health*, 515–527.
- Soler, R. E., Leeks, K. D., Razi, S., Hopkins, D. P., Griffith, M., Aten, A., Task Force on Community Preventive Services. (2010). A systematic review of selected interventions for worksite health promotion. The assessment of health risks with feedback. *Am J Prev Med*, 38(2 Suppl), S237–262.
- Stansfeld, S., Candy, B. (2006). Psychosocial work environment and mental health a meta-analytic review. *Scand J Work Environ Health*, 32, 443–462.
- Thornton, J., Alderson, P., Tan, T., Turner, C., Latchem, S., Shaw, E., Chamberlain, K. (2013). Introducing GRADE across the NICE clinical guideline program. *Journal of Clinical Epidemiology*, 66(2), 124–131.
- Tsutsumi, A. (2011). Development of an Evidence-based Guideline for Supervisor Training in Promoting Mental Health: Literature Review. *Journal of Occupational Health*, 53(1), 1–9.
- van Oostrom, S. H., Driessen, M. T., de Vet, H. C., Franche, R. L., Schonstein, E., Loisel, P., Anema, J. R. (2009). Workplace interventions for preventing work disability. *Cochrane Database Syst*.
- Vingård, E., Ekselius, L., Järvholm, B., Hogstedt, C., Lindberg, P., Karlsson, T., Johansson, B. (2015). En kunskapsöversikt. Psykisk ohälsa, arbetsliv och sjukfrånvaro. Stockholm: FORTE.

Vingård, E., Mathiassen, S. E., Ahlborg, G., Eklund, J., Jensen, I., Järvholm, B., Zika-Viktorsson, A. (2009). Inkluderande arbetsliv, SOU 2009:93.

Riktlinjer

Borg, V., Andersen Nexø, M., Kolte, I. V., Friis Andersen, M. (2010). Resumé og sammenfatning af Hvidbog om mentalt helbred, sygefravær og tilbagevenden til arbejde. NFA, København.

Bradley, K., Dubois, N., Elgie, J., Hershfield, L., Zon, L., Pona, N., Jurgens, K. (2010). Workplace Mental Health Promotion: A How To Guide (pp. 126). Ontario: Canadian Mental Health Association.

Ertel, M. (2008). PRIMA-EF: Making social dialogue successful for psychosocial risk management. I Berlin: WHO.

Eurofound, EU-OSH. (2014). Psychosocial risks in Europe Prevalence and strategies for prevention (pp. 106). Luxembourg: Publications office of the European Union.

Hasson, H., Villaume, K., von Thiele Schwarz, U., Palm, K. (2014). Managing implementation: roles of line managers, senior managers, and human resource professionals in an occupational health intervention. *J Occup Environ Med*, 56(1), 58–65.

Haynes, P. (2015). Application of Cognitive Behavioral Therapies for Comorbid Insomnia and Depression. *Sleep Med Clin*, 10(1), 77–84.

Houtman, I. L. D. (2008). PRIMA-EF: Monitoring Psychosocial Risks at Work. Hoofddorp:WHO.

Iavicoli, S. (2008). PRIMA-EF: The Perception of Psychosocial Risk Factors among European Stakeholders. Rome: WHO.

Joosen, M. C., Brouwers, E. P., van Beurden, K. M., Terluin, B., Ruotsalainen, J. H., Woo, J. M., van Weeghel, J. (2015). An international comparison of occupational health guidelines for the management of mental disorders and stress-related psychological symptoms. *Occup Environ Med*, 72(5), 313–322

Kernberg. (2013). Diagnostic and Statistical Manual of Mental Disorders – DSM-5 (5 ed.). Arlington, VA: American Psychiatric Association.

Knifton, L., Watson, V., Gründemann, R., Dijkman, A., den Besten, H., ten Have, K. (2011). A guide for employers. To promote mental health in the workplace. Hoofddorp, The Netherlands: ENWHP.

Kwak, L., Hagströmer, M., Jensen, I., Lohela Karlsson, M., Alipour, A., Schäfer Elinder, L. (2012). Metoder för företagshälsovården; Att arbeta med att främja goda matvanor och fysisk aktivitet på arbetsplatser. Institutet för miljömedicin, Karolinska Institutet.

Leka, S., Cox, T. (2008). PRIMA-EF: Best Practice in Workrelated Stress Management interventions. Nottingham: WHO.

Leka, S., Cox, T. (2008). PRIMA-EF: Psychosocial risk management – European framework: Key aspects. Nottingham: WHO.

Leka, S., Cox, T. (2008). PRIMA-EF: Psychosocial Risk Management – European Framework: Enterprise Level. Nottingham: WHO.

Leka, S., Jain, A., Cox, T., Kortum, E. (2011). The development of the European framework for psychosocial risk management: PRIMA-EF. *J Occup Health*, 53(2), 137–143.

Moncada, S., Llorens, C., Moreno, N., Rodrigo, F., & Landsbergis, P. (2011). CC.OO. ("Comisiones Obreras") – ISTAS (Union Institute of Work, Environment and Health) participatory action plan for a healthier work organization: A case study. *Safety Science*, 49(4), 591–598.

Nezu, A. M., Nezu, C. M., D'Zurilla, T. J. (2012). *Problemsolving therapy: A treatment manual*: Springer Publishing Company.

NICE. (2009a). *Managing long-term sickness and incapacity for work*. UK: National institute for Health and Clinical Excellence.

NICE. (2009b). *Quick reference guide, Depression. Treatment and management of depression in adults, including adults with a chronic physical health problem*. UK: National institute for Health and Clinical Excellence.

NICE. (2014a). *Coordinate and deliver agreed interventions and services for long-term sickness*. UK: National institute for Health and Clinical Excellence.

NICE. (2014b). *Promoting mental wellbeing at work overview*. UK: National Institute for Health and Care Excellence.

Pomaki, G., Franche, R.-L., Khushrushahi, N., Murray, E., Lam- pinen, T., Mah, P. (2010). *Best Practices for Return-to-Work/ Stay-at-Work Interventions for Workers with Mental Health Conditions*. Vancouver: OHSAH.

Pomaki, G., Franche, R. L., Murray, E., Khushrushahi, N., Lampinen, T. M. (2012). *Workplace-Based Work Disability Prevention Interventions for Workers with Common Mental Health Conditions: A Review of the Literature*. *Journal of Occupational Rehabilitation*, 22(2), 182–195.

Schäfer Elinder, L., Kwak, L. (2014). *Evidensbaserat folkhälsoarbete: Studentlitteratur*.

Sedgwick, S., O'Connor, P. *Working Together: Promoting mental health and wellbeing at work*. Australia: Australian Public Health Commission.

Socialstyrelsen. (2010). *Nationella riktlinjer för vård vid depression och ångestsyndrom*. [www.socialstyrelsen.se/publikationer2010/2010-3-4]

Socialstyrelsen, F. (2015). *Fysisk aktivitet i sjukdomsprevention och sjukdomsbehandling*: Socialstyrelsen.

Thomson, L. N., F Rick, J. (2003). *Best practice in rehabilitating employees following absence due to work-related stress*. Brighton: The Institute for Employment Studies for the Health and Safety Executive.

van der Klink, J. J. L., van Dijk, F. J. H. (2003). Dutch practice guidelines for managing adjustment disorders in occupational and primary health care. *Scandinavian Journal of Work Environment & Health*, 29(6), 478–487.

Vartia, M. (2008). *PRIMA-EF: Best Practice in Workplace Violence and Bullying Interventions*. Helsinki: WHO.

Widerszal-Bazyl, M., Zołnierczyk-Zreda, D. (2008). *PRIMA-EF. European and International Standards Related to Psychosocial Risks at Work*. Warsaw: WHO.

Wynne, R., De Broeck, V., Leka, S., Houtman, I., Mc Daid, D. (2014). *Promoting mental health in the workplace. Guidance to implementing a comprehensive approach*. European Commission.

Zwetsloot, G., Leka, S. (2008). PRIMA-EF: Corporate Social Responsibility and Psychosocial Risk Management at Work. Hoofddorp:WHO.

Diagnostiska instrument och frågeformulär

Abma, F. I., van der Klink, J. J., Bultmann, U. (2013). The work role functioning questionnaire 2.0 (Dutch version): examination of its reliability, validity and responsiveness in the general working population. *J Occup Rehabil*, 23(1), 135–147.

Ahlstrom, L., Abma, F.I., Bultmann, U., Amick, B.C III., Noor, A., Hagberg,M. Cross-cultural adaptation, validity and reliability, of work role functioning questionnaire to Swedish.

Bergman, H., Kallmen, H. (2002). Alcohol use among Swedes and a psychometric evaluation of the Alcohol Use Disorders Identification Test. *Alcohol and Alcoholism*, 37(3), 245–251.

Bergstrom, G., Bjorklund, C., Fried, I., Lisspers, J., Nathell, L., Hermansson, U., Jensen, I. B. (2008). A comprehensive workplace intervention and its outcome with regard to lifestyle, health and sick leave: the AHA study. *Work*, 31(2), 167–180.

Berman, A. H., Palmstierna, T., Kallmen, H., Bergman, H. (2007). The self-report Drug Use Disorders Identification Test: Extended (DUDIT-E): reliability, validity, and motivational index. *Journal of Substance Abuse Treatment*, 32(4), 357–369.

Beser, A., Sorjonen, K., Wahlberg, K., Peterson, U., Nygren, A., Asberg, M. (2014). Construction and evaluation of a selfrating scale for stress-induced exhaustion disorder, the Karolinska Exhaustion Disorder Scale. *Scand J Psychol*, 55(1), 72–82.

Björkman, K. (2004). Att kartlägga den psykosociala arbetsmiljön med hjälp av frågeformulär – Granskning av fyra olika frågeformulär. Lunds universitet, Avdelningen för yrkes- och miljömedicin.

Dallner, M., Elo, A., Gamberale, F., Hottinen, V., Knardahl, S., Lindström, K., Ørhede, E. (2000). Validation of the general Nordic questionnaire (QPSNordic) for psychological and social factors at work: Copenhagen: Nordic Council of Ministers.

de Zwart, B. C., Frings-Dresen, M. H., van Duivenbooden, J.C. (2002). Test-retest reliability of the Work Ability Index questionnaire. *Occup Med (Lond)*, 52(4), 177–181.

Fan, C.-W., Taylor, R. R., Ekbladh, E., Hemmingsson, H., Sandqvist, J. (2013). Evaluating the Psychometric Properties of a Clinical Vocational Rehabilitation Outcome Measurement: The Assessment of Work Performance (AWP). *OTJR: occupation, participation and health*, 33(3), 125–133.

Forsyth, K., Braveman, B., Ekbladh, E., Kielhofner, G., Haglund, L., Fenger, K., Keller, J. (2006). Psychometric properties of the worker role interview. *Work*, 27(3), 313–318.

Glise, K. (2014). Exhaustion disorder – identification, characterisation and course of illness. University of Gothenburg.

Holmgren, K., Hensing, G., Dahlin-Ivanoff, S. (2009). Development of a questionnaire assessing work-related stress in women - identifying individuals who risk being put on sick leave. *Disabil Rehabil*, 31(4), 284–292.

Hultin, A., Sjöström, M. (2003). Metoder för att uppmärksamma och bedöma psykosocial ohälsa – en inventering inom företagshälsovården. Arbetsmiljöverket (red.).

Karasek, R., Brisson, C., Kawakami, N., Houtman, I., Bongers, P., Amick, B. (1998). The Job Content Questionnaire (JCQ): an instrument for internationally comparative assessments of psychosocial job characteristics. *Journal of Occupational Health Psychology*, 3(4), 322.

Karasek, R. A. (1979). Job Demands, Job Decision Latitude, and Mental Strain – Implications for Job Redesign. *Administrative Science Quarterly*, 24(2), 285–308.

Karolinska, I. (2004). Sektionen för skadeprevention och Institutet för klinisk neurovetenskap. AHA-projektet. Slutrapport: Del 1. Arbete och hälsa inom process och verkstadsindustrin. Karolinska Institutet.

Kecklund, G., Åkerstedt, T. (1992). The psychometric properties of the Karolinska Sleep Questionnaire. *Journal of Sleep Research*, 1(Suppl 1), 113.

Kielhofner, G., Lai, J. S., Olson, L., Haglund, L., Ekbadh, E., Hedlund, M. (1998). Psychometric properties of the work environment impact scale: a cross-cultural study. *Work (Reading, Mass.)*, 12(1), 71–77.

Kristensen, T. S. (2010). A questionnaire is more than a questionnaire. *Scandinavian Journal of Public Health*, 38, 149–155.

Lecrubier, Y., Sheehan, D. V., Weiller, E., Amorim, P., Bonora, I., Sheehan, K. H., Dunbar, G. C. (1997). The Mini International Neuropsychiatric Interview (MINI). A short diagnostic structured interview: Reliability and validity according to the CIDI. *European Psychiatry*, 12(5), 224–231.

Liethof, W. (2010/2011). Utvärdering av "Krav och Funktionsschema", en ny metod för bedömning av arbetsförmåga för företagshälsovården. Projektarbete vid Företagsläkarutbildningen: Uppsala universitet.

Lundgren-Nilsson, A., Jónsdóttir, I. H., Pallant, J., Ahlborg, G., Jr. (2012). Internal construct validity of the Shirom-Melamed Burnout Questionnaire (SMBQ). *BMC Public Health*, 12, 1.

Luqsus. Programpaket utvecklat av Arbets- och miljömedicin: Lunds universitet.

Montgomery, S. A., Asberg, M. (1979). A new depression scale designed to be sensitive to change. *Br J Psychiatry*, 134, 382–389.

Morin,C.M., Belleville, G., Bélanger,L Ivers, H. (2011). The Insomnia Severity Index: Psychometric Indicators to Detect Insomnia Cases and Evaluate Treatment Response. *SLEEP* 2011;34(5), 601–608.

Oxenstierna, G., Widmark, M., Finnholm, K., Elofsson, S. (2008). A new questionnaire and model for research into the impact of work and the work environment on employee health. *Scandinavian Journal of Work Environment & Health*, 150–162.

Pettersson, A., Bengtsson Boström, K., Gustavsson, P., Ekselius, L. (2015). Which instruments to support diagnosis of depression have sufficient accuracy? A systematic review. *Nord J Psychiatry*, 12.

Rumpf, H. J., Hapke, U., Meyer, C., John, U. (2002). Screening for alcohol use disorders and at-risk drinking in the general population: Psychometric performance of three questionnaires. *Alcohol and Alcoholism*, 37(3), 261–268.

Setterlind, S. (2004). Den hälsosamma arbetsplatsen – från analys till åtgärd. Stress Management Center.

Setterlind, S., Larsson, G. (1995). The stress profile: a psychosocial approach to measuring stress. *Stress Medicine*, 11(1), 85–92.

Sheehan, D. V., Lecrubier, Y., Sheehan, K. H., Janavs, J., Weiller, E., Kesker, A., Dunbar, G. C. (1997). The validity of the Mini International Neuropsychiatric Interview (MINI) according to the SCID-P and its reliability. European Psychiatry, 12(5), 232–241.

Spitzer, R. L., Kroenke, K., Williams, J. B. (1999). Validation and utility of a self-report version of PRIME-MD: the PHQ primary care study. Primary Care Evaluation of Mental Disorders. Patient Health Questionnaire. JAMA, 282(18), 1737–1744.

Spitzer, R. L., Kroenke, K., Williams, J. B. W., Primary, P. H.Q. (1999). Validation and utility of a self-report version of PRIME-MD – The PHQ primary care study. Jama-Journal of the American Medical Association, 282(18), 1737–1744.

Trott, Eva (2009). En reliabilitets- och validitetsstudie av den svenska versionen av självskattningsformuläret Insomnia Severity Index (ISI).

Wagman, P., Hakansson, C. (2014). Introducing the Occupational Balance Questionnaire (OBQ). Scand J Occup Ther, 21(3), 227–231.

Vingård, E. m.fl. (2004). HAKuL Hållbar arbetshälsa i kommuner och landsting. Personskadeprevention, Karolinska Institutet.

Wännström, I. (2008). Assessment of psychological and social factors in the workplace, psychosometric aspects. Karolinska institutet.

Wännström, I., Nygren, Å., Åsberg, M., Gustavsson, J. P. (2008). Different response alternatives in the assessment of job demands. Int Arch Occup Environ Health, 81(7), 813–819.

Wännström, I., Peterson, U., Åsberg, M., Nygren, Å., Gustavsson, J. (2009). Psychometric properties of scales in the General Nordic Questionnaire for Psychological and Social Factors at Work (QPSNordic): Confirmatory factor analysis and prediction of certified long term sickness absence. Scandinavian Journal of Psychology, 50(3), 231–244.

Wennberg, P., Källmén, H., Hermansson, U., Bergman, H. (2006). The Alcohol Use Disorders Identification Test, AUDIT: 11.

Originalartiklar

Agbenyikey, W., Karasek, R., Cifuentes, M., Wolf, P. A., Seshadri, S., Taylor, J. A., Au, R. (2015). Job strain and cognitive decline: a prospective study of the framingham offspring cohort. Int J Occup Environ Med, 6(2), 79–94.

Ahola, K., Honkonen, T., Kivimaki, M., Virtanen, M., Isometsa, E., Aromaa, A., Lonnqvist, J. (2006). Contribution of burnout to the association between job strain and depression: the health 2000 study. J Occup Environ Med, 48(10), 1023–1030.

Ala-Mursula, L., Vahtera, J., Pentti, J., Kivimaki, M. (2004). Effect of employee worktime control on health: a prospective cohort study. Occup Environ Med, 61(3), 254–261.

Arends, I., Bultmann, U., Nielsen, K., van Rhenen, W., de Boer, M. R., van der Klink, J. J. (2014). Process evaluation of a problem solving intervention to prevent recurrent sickness absence in workers with common mental disorders. Soc Sci Med, 100, 123–132.

Arends, I., van der Klink, J. J., Bultmann, U. (2010). Prevention of recurrent sickness absence among employees with common mental disorders: design of a cluster-randomised controlled trial with cost-benefit and effectiveness evaluation. BMC Public Health, 10, 132.

- Arends, I., van der Klink, J. J., van Rhenen, W., de Boer, M. R., Bultmann, U. (2014a). Predictors of recurrent sickness absence among workers having returned to work after sickness absence due to common mental disorders. *Scand J Work Environ Health*, 40(2), 195–202.
- Arends, I., van der Klink, J. J., van Rhenen, W., de Boer, M. R., Bultmann, U. (2014b). Prevention of recurrent sickness absence in workers with common mental disorders: results of a cluster-randomised controlled trial. *Occup Environ Med*, 71(1), 21–29.
- Arnetz, B., Blomkvist, V. (2007). Leadership, mental health, and organizational efficacy in health care organizations. *Psychosocial predictors of healthy organizational development based on prospective data from four different organizations. Psychother Psychosom*, 76(4), 242–248.
- Beck, J., Gerber, M., Brand, S., Puhse, U., Holsboer-Trachsler, E. (2013). Executive function performance is reduced during occupational burnout but can recover to the level of healthy controls. *J Psychiatr Res*, 47(11), 1824–1830.
- Belkic, K. L., Landsbergis, P. A., Schnall, P. L., Baker, D. (2004). Is job strain a major source of cardiovascular disease risk? *Scand J Work Environ Health*, 30(2), 85–128.
- Bergström, G., Björklund, C., Fried, I., Lisspers, J., Nathell, L., Hermansson, U., Jensen, I. B. (2008). A comprehensive workplace intervention and its outcome with regard to lifestyle, health and sick leave: the AHA study. *Work*, 31(2), 167–180.
- Björkqvist, K., Österman, K., Hjelt-Bäck, M. (1994). Aggression among University Employees. *Aggressive Behavior*, 20(3), 173–184.
- Björklund, C., Grahn, A., Jensen, I., Bergström, G. (2007). Does survey feedback enhance the psychosocial work environment and decrease sick leave? *European Journal of Work and Organizational Psychology*, 16, 76–93.
- Björklund, C., Vaez, M., Stoetzer, U. (2014). Tidiga indikationer för mobbning inom akademisk och industriell miljö. En studie om samband mellan arbetsrelaterade faktorer och uppkomst av mobbning. Karolinska Institutet, IMM.
- Bond, F. W., Flaxman, P. E. (2006). The ability of psychological flexibility and job control to predict learning, job performance, and mental health. *Journal of Organizational Behavior Management*, 26(1-2), 113–130.
- Buddeberg-Fischer, B., Klaghofer, R., Stamm, M., Siegrist, J., Buddeberg, C. (2008). Work stress and reduced health in young physicians: prospective evidence from Swiss residents. *Int Arch Occup Environ Health*, 82(1), 31–38.
- Cortina, L. M. (2008). Unseen injustice: Incivility as modern discrimination in organizations. *Academy of Management Review*, 33(1), 55–75.
- Danielsson, L. (2015). Träning hos sjukgymnast hjälper vid depression. Göteborgs universitet.
- Einarsen, S., Nielsen, M. B. (2014). Workplace bullying as an antecedent of mental health problems: a five-year prospective and representative study. *Int Arch Occup Environ Health*, 88(2), 131–142.
- Einarsen, S. G., L. Løkke Vie og, T. Pedersen, H. (2012) .Mob-bing i arbeidslivet. Bergen: Temahefte, idebanken.
[www.idebanken.org/materiell/mobbing-i-arbeidslivet?arti_cleid=m38&lang=nb]

- Ejeby, K., Savitskij, R., Ost, L. G., Ekbom, A., Brandt, L., Ramnerö, J., Backlund, L. G. (2014a). Randomized controlled trial of transdiagnostic group treatments for primary care patients with common mental disorders. *Fam Pract*, 31(3), 273–280.
- Ejeby, K., Savitskij, R., Ost, L. G., Ekbom, A., Brandt, L., Ramnerö, J., Backlund, L. G. (2014b). Symptom reduction due to psychosocial interventions is not accompanied by a reduction in sick leave: Results from a randomized controlled trial in primary care. *Scandinavian Journal of Primary Health Care*, 32(2), 67–72.
- Ekberg, K., Wahlin, C., Persson, J., Bernfort, L., Oberg, B. (2015). Early and Late Return to Work After Sick Leave: Predictors in a Cohort of Sick-Listed Individuals with Common Mental Disorders. *J Occup Rehabil*, 25(3): 627–37.
- Elfering, A., Semmer, N. K., Grebner, S. (2006). Work stress and patient safety: observerrated work stressors as predictors of characteristics of safety-related events reported by young nurses. *Ergonomics*, 49(5-6), 457–469.
- Eriksson, T., Jonsson, H., Tham, K., & Eriksson, G. (2012). A comparison of perceived occupational gaps between people with stress-related ill health or musculoskeletal pain and a reference group. *Scand J Occup Ther*, 19(5), 411–420.
- Fang, T., Samnani, A. K., Novicevic, M. M., Bing, M. N. (2013). Liability-of-foreignness effects on job success of immigrant job seekers. *Journal of World Business*, 48(1), 98–109.
- Forte. (2014). Rehabilitering och samordning. Ett regeringsuppdrag om att utvärdera, sammanställa och analysera resultat från forskningsprogrammet Rehsam (S2014/5621/SF).
- Försäkringskassan. (2014). Analys av sjukfrånvarons variation; väsentliga förklaringar av upp-och nedgång över tid.
- Glise, K., Ahlborg, G., Jónsdóttir, I. H. (2012). Course of mental symptoms in patients with stress-related exhaustion: does sex or age make a difference? *BMC Psychiatry*, 12, 18.
- Hasselberg, K., Jónsdóttir, I. H., Ellbin, S., Skagert, K. (2014). Self-reported stressors among patients with exhaustion disorder: an exploratory study of patient records. *BMC Psychiatry*, 14, 66.
- Haynes, P. (2015). Application of Cognitive Behavioral Therapy for Comorbid Insomnia and Depression. *Sleep Med Clin*, 10(1), 77–84.
- Hellman, T., Jensen, I., Bergström, G., Busch, H. (2015). Returning to work – a long-term process reaching beyond the time frames of multimodal non-specific back pain rehabilitation. *Disabil Rehabil*, 37(6), 499–505.
- Hoel, H., Faragher, B., Cooper, C. L. (2004). Bullying is detrimental to health, but all bullying behaviours are not necessarily equally damaging. *British Journal of Guidance & Counselling*, 32(3), 367–387.
- Huijs, J. J., Koppes, L. L., Taris, T. W., Blonk, R. W. (2012). Differences in predictors of return to work among long-term sick-listed employees with different self-reported reasons for sick leave. *J Occup Rehabil*, 22(3), 301–311.
- Ipser, J. C., Wilson, D., Akindipe, T. O., Sager, C., Stein, D. J. (2015). Pharmacotherapy for anxiety and comorbid alcohol use disorders. *Cochrane Database Syst Rev*, 1.
- Johannessen, H. A., Tynes, T., Sterud, T. (2013). Effects of occupational role conflict and emotional demands on subsequent psychological distress: a 3-year follow-up study of the general working population in Norway. *J Occup Environ Med*, 55(6), 605–613.

Jonsdottir, I. H., Nordlund, A., Ellbin, S., Ljung, T., Glise, K., Wahrborg, P., Wallin, A. (2013). Cognitive impairment in patients with stress-related exhaustion. *Stress*, 16(2), 181–190.

Joyce, K., Pabayo, R., Critchley, J. A., Bambra, C. (2010). Flexible working conditions and their effects on employee health and wellbeing. *Cochrane Database of Systematic Reviews*(2).

Kaner, E., Bland, M., Cassidy, P., Coulton, S., Dale, V., Deluca, P., Drummond, C. (2013). Effectiveness of screening and brief alcohol intervention in primary care (SIPS trial): pragmatic cluster randomised controlled trial. *BMJ*, 9, 346,

Karasek, R., & Theorell, T. (1990). *Healthy work: Stress, productivity and the reconstruction of the working life*. New York: Basic Books.

Karasek, R. A. (1979). Job Demands, Job Decision Latitude, and Mental Strain – Implications for Job Redesign. *Administrative Science Quarterly*, 24(2), 285–308.

Karlsson, M. L., Bergstrom, G., Bjorklund, C., Hagberg, J., Jensen, I. (2013). Measuring production loss due to health and work environment problems: construct validity and implications. *J Occup Environ Med*, 55(12), 1475–1483.

Leka, S., Griffiths, A., Cox, T. (2004). Protecting workers' health series No 3: Work organization & stress. Retrieved from the World Health Organization website:
[www.who.int/occupational_health/publications/pwh-3rev.pdf]

Lim, S., Cortina, L. M., Magley, V. J. (2008). Personal and workgroup incivility: impact on work and health outcomes. *J Appl Psychol*, 93(1), 95–107.

Martin, A., Sanderson, K., Scott, J., Brough, P. (2009). Promoting mental health in small-medium enterprises: an evaluation of the "Business in Mind" program. *BMC Public Health*, 9, 239.

Mausner-Dorsch, H., Eaton, W. W. (2000). Psychosocial work environment and depression: epidemiologic assessment of the demand-control model. *Am J Public Health*, 90(11), 1765–1770.

Mikkelsen, E. G., Einarsen, S. (2002). Relationships between exposure to bullying at work and psychological and psychosomatic health complaints: The role of state negative affectivity and generalized self-efficacy. *Scandinavian Journal of Psychology*, 43(5), 397–405.

Moen, P., Kelly, E. L., Lam, J. (2013). Healthy work revisited: do changes in time strain predict well-being? *J Occup Health Psychol*, 18(2), 157–172.

Morin, C. M., Benca, R. (2012). Chronic insomnia. *Lancet*, 379 (9825), 1488–1488.

Nohe, C., Michel, A., Sonntag, K. (2013). Family–work conflict and job performance: A diary study of boundary conditions and mechanisms. *Journal of Organizational Behavior*, 35 (3), 339–357.

Oosterholt, B. G., Maes, J. H., Van der Linden, D., Verbraak, M. J., Kompier, M. A. (2014). Cognitive performance in both clinical and non-clinical burnout. *Stress*, 17(5), 400–409.

Osterberg, K., Karlson, B., Malmberg, B., Hansen, A. M. (2012). A follow-up of cognitive performance and diurnal salivary cortisol changes in former burnout patients. *Stress*, 15(6), 589–600.

Persson, R., Örbaek, P. (2014). Arbete, stress och hälsa. I Holmström, E., Ohlsson, K. (red.), *Människan i arbetslivet. Teori och Praktik*. (sid. 15–48). Studentlitteratur.

Peterson, U., Bergstrom, G., Samuelsson, M., Asberg, M., Nygren, A. (2008). Reflecting peer-support groups in the prevention of stress and burnout: randomized controlled trial. *J Adv Nurs*, 63(5), 506–516.

- Rebergen, D. S., Bruinvels, D. J., Bos, C. M., van der Beek, A. J., van Mechelen, W. (2010). Return to work and occupational physicians' management of common mental health problems – process evaluation of a randomized controlled trial. *Scand J Work Environ Health*, 36(6), 488–498.
- Saam, N. J. (2010). Interventions in workplace bullying: a multilevel approach. *European Journal of Work and Organizational Psychology*, 19, 51–75.
- Sallinen, M., Kecklund, G. (2010). Shift work, sleep, and sleepiness – differences between shift schedules and systems. *Scandinavian Journal of Work Environment & Health*, 36(2), 121–133.
- Salo, P., Ala-Mursula, L., Rod, N. H., Tucker, P., Pentti, J., Kivimaki, M., Vahtera, J. (2014). Work time control and sleep disturbances: prospective cohort study of Finnish public sector employees. *Sleep*, 37(7), 1217–1225.
- Schyns, B., Schilling, J. (2013). How bad are the effects of bad leaders? A meta-analysis of destructive leadership and its outcomes. *Leadership Quarterly*, 24(1), 138–158.
- Semmer, N. K. (2006). Job stress interventions and the organization of work. *Scandinavian Journal of Work, Environment & Health*, 515–527.
- Strandmark, M. K., Hallberg, L. R. (2007). The origin of workplace bullying: experiences from the perspective of bully victims in the public service sector. *J Nurs Manag*, 15(3), 332–341.
- Tuomi, K., Vanhala, S., Nykyri, E., Janhonen, M. (2004). Organizational practices, work demands and the well-being of employees: a follow-up study in the metal industry and retail trade. *Occup Med (Lond)*, 54(2), 115–121.
- van Dongen, J. M., Tompa, E., Clune, L., Sarnocinska-Hart, A., Bongers, P. M., van Tulder, M. W., van Wier, M. F. (2013). Bridging the gap between the economic evaluation literature and daily practice in occupational health: a qualitative study among decision-makers in the healthcare sector. *Implementation Science*, 8.
- Vartia, M. A. (2001). Consequences of workplace bullying with respect to the well-being of its targets and the observers of bullying. *Scand J Work Environ Health*, 27(1), 63–69.
- Virtanen, M., Singh-Manoux, A., Ferrie, J. E., Gimeno, D., Marmot, M. G., Elovainio, M., Kivimaki, M. et al. (2009). Long working hours and cognitive function: the Whitehall II Study. *Am J Epidemiol*, 169(5), 596–605.
- Ybema, J. F., van den Bos, K. (2010). Effects of organizational justice on depressive symptoms and sickness absence: a longitudinal perspective. *Soc Sci Med*, 70(10), 1609–1617.
- Zapf, D., Knorz, C., Kulla, M. (1996). On the relationship between mobbing factors and job content, social work environment and health outcomes. *European Journal of Work and Organizational Psychology*, 5, 215–237.
- Åkerstedt, T., Garefelt, J., Richter, A., Westerlund, H., Magnusson Hanson, L. L., Sverke, M., Kecklund, G. (2015). Work and Sleep A Prospective Study of Psychosocial Work Factors, Physical Work Factors, and Work Scheduling. *Sleep Med*, 38(7), 1–8.
- Production Efficiency. Production and Operations Management Society, 23 (12), 2191–2208.